

Snippets

Snippets from the world wide web

Sri Lanka Journal of Child Health, 2004; **33**: 115-6

Dietary Fatty Acids May Help Prevent Allergic Asthma

Omega-3 fatty acid supplementation and house dust mite reduction may help prevent the development of allergic sensitization and airway disease in early childhood, according to the results of a study published in the October issue of the *Journal of Allergy and Clinical Immunology*.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHvw0AB>

Lamivudine in Late Pregnancy Can Prevent Vertical Hepatitis B transmission

A study conducted by researchers in China indicates that an 8-week course of lamivudine begun late in pregnancy reduces the risk of vertical transmission of hepatitis B when the infant also receives hepatitis B vaccination and hepatitis B immunoglobulin after birth.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHvy0AD>

Pertussis Vaccine for Adolescents Appears Safe, Effective

The effort to vaccinate adolescents aims to benefit infants too young to be immunized; the vaccine can be combined with other routine teen immunizations.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHV60AY>

Home Measurements Underestimate Blood Pressure in Children and Adolescents

Home blood pressure measurements are lower than daytime ambulatory blood pressure in children and adolescents, according to a report in the October issue of the *American Journal of Hypertension*.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHuB0AH>

Acupuncture May Reduce Symptoms of Persistent Allergic Rhinitis in Children

Acupuncture decreased daily symptom scores and increased symptom-free days in pediatric patients with persistent allergic rhinitis in a double-blind, randomized, placebo-controlled trial.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0>

Losartan Safely Treats Hypertension in Children With Chronic Renal Disease

Losartan achieves prolonged and sustained antihypertensive and renoprotective effects in children with chronic parenchymal disorders, according to Pennsylvania-based researchers.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHuA0AG>

Ceftriaxone Therapy Linked to Nephrolithiasis in Children

New research indicates that a 7-day course of ceftriaxone increases the risk of small asymptomatic renal stones in children.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GG820Ax>

Transplantation of Autologous Melanocytes Effective in Vitiligo

Noncultured melanocyte-keratinocyte and epidermal cell transplants effectively repigment leukodermic lesions in patients with treatment-resistant vitiligo.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHud0Ap>

American Heart Association Revises Guidelines on Kawasaki Disease

The new recommendations guide the clinician in deciding which children to treat for Kawasaki disease.

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GGcq0AH>

Elevated Cord Serum IgE Linked to Childhood Allergy and Asthma

Elevated levels of IgE in umbilical cord blood indicate an increase in the risk of allergy and asthma during childhood, according to a report in the November issue of Thorax.

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GG6W0A5>

Noninvasive Positive Pressure Ventilation Is Effective for Status Asthmaticus in Children

In a small retrospective review, NIPPV was well tolerated and reduced time in the intensive care unit

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GG6Z0A8>

High Birth Weight May Increase Risk of ALL

Each 1-kg increase in birth weight appears to increase the risk of childhood acute lymphoblastic leukemia by 26%, according to a report in the Journal of the National Cancer Institute for October 20th. In contrast, high birth weight does not seem to raise the risk of acute myeloid leukemia (AML).

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GGhw0AS>

B J C Perera

Joint Editor

Snippets

Snippets from the world wide web

Sri Lanka Journal of Child Health, 2004; **33**: 115-6

Dietary Fatty Acids May Help Prevent Allergic Asthma

Omega-3 fatty acid supplementation and house dust mite reduction may help prevent the development of allergic sensitization and airway disease in early childhood, according to the results of a study published in the October issue of the *Journal of Allergy and Clinical Immunology*.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHvw0AB>

Lamivudine in Late Pregnancy Can Prevent Vertical Hepatitis B transmission

A study conducted by researchers in China indicates that an 8-week course of lamivudine begun late in pregnancy reduces the risk of vertical transmission of hepatitis B when the infant also receives hepatitis B vaccination and hepatitis B immunoglobulin after birth.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHvy0AD>

Pertussis Vaccine for Adolescents Appears Safe, Effective

The effort to vaccinate adolescents aims to benefit infants too young to be immunized; the vaccine can be combined with other routine teen immunizations.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHV60AY>

Home Measurements Underestimate Blood Pressure in Children and Adolescents

Home blood pressure measurements are lower than daytime ambulatory blood pressure in children and adolescents, according to a report in the October issue of the *American Journal of Hypertension*.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHuB0AH>

Acupuncture May Reduce Symptoms of Persistent Allergic Rhinitis in Children

Acupuncture decreased daily symptom scores and increased symptom-free days in pediatric patients with persistent allergic rhinitis in a double-blind, randomized, placebo-controlled trial.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0>

Losartan Safely Treats Hypertension in Children With Chronic Renal Disease

Losartan achieves prolonged and sustained antihypertensive and renoprotective effects in children with chronic parenchymal disorders, according to Pennsylvania-based researchers.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHuA0AG>

Ceftriaxone Therapy Linked to Nephrolithiasis in Children

New research indicates that a 7-day course of ceftriaxone increases the risk of small asymptomatic renal stones in children.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GG820Ax>

Transplantation of Autologous Melanocytes Effective in Vitiligo

Noncultured melanocyte-keratinocyte and epidermal cell transplants effectively repigment leukodermic lesions in patients with treatment-resistant vitiligo.

<http://mp.medscape.com/cgi-bin/1/DM/y/ekIq0EIZ1O0DzQ0GHud0Ap>

American Heart Association Revises Guidelines on Kawasaki Disease

The new recommendations guide the clinician in deciding which children to treat for Kawasaki disease.

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GGcq0AH>

Elevated Cord Serum IgE Linked to Childhood Allergy and Asthma

Elevated levels of IgE in umbilical cord blood indicate an increase in the risk of allergy and asthma during childhood, according to a report in the November issue of Thorax.

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GG6W0A5>

Noninvasive Positive Pressure Ventilation Is Effective for Status Asthmaticus in Children

In a small retrospective review, NIPPV was well tolerated and reduced time in the intensive care unit

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GG6Z0A8>

High Birth Weight May Increase Risk of ALL

Each 1-kg increase in birth weight appears to increase the risk of childhood acute lymphoblastic leukemia by 26%, according to a report in the Journal of the National Cancer Institute for October 20th. In contrast, high birth weight does not seem to raise the risk of acute myeloid leukemia (AML).

<http://mp.medscape.com/cgi-bin/DM/y/ej8g0EIZ1O0DzQ0GGhw0AS>

B J C Perera
Joint Editor

