

Paediatric crossword puzzle – 23

Manouri P. Senanayake¹

Sri Lanka Journal of Child Health, 2014; 43(2): 114

1					2						3		4
5	6		7			8		9					
					10			11					
					12			13				14	
								15					
16				17		18						19	
									20				
21		22					23						
	24								25				
				26									

ACROSS

- 1) ----- Cap study investigated the only proven medical intervention that reduces brain damage following severe birth asphyxia.
- 2) Rule stating that “a gonad felt below the inguinal ligament is testis unless proven otherwise”
- 5) Red cells that indicate a microangiopathic process.
- 11) Protection provided when >95% of population is immune
- 12) Audiometry used for testing hearing in children between 2.5-5 years of age
- 14) Ventricular arrhythmia that may be benign in children (abbrv)
- 15) Nutritional deficiency other than rickets causing a “rosary” on chest wall
- 19) Unit of volume
- 21) Posture with extension of lower limbs and flexion of upper limbs
- 24) Rega -Fede disease refers to a lingual-----
- 25) Large blister
- 26) *Aedes aegypti* is also called ----- mosquito

DOWN

- 1) Also known as CKD (abbrv)
- 3) Megalocephaly and mid facial hypoplasia occur in.....roplasia
- 4) Fusion of digits
- 6) Sublingual cyst
- 7) Sharp angulation of spine due to tuberculosis
- 8) Sign caused by severe aortic regurgitation
- 9) Lung pathology that reduces intensity of heart sounds
- 10) Syndrome causing short PR interval, wide QRS complexes and delta waves (abbrv)
- 14) Thermochromic label placed on vaccine vial
- 16) Adverse reaction following vancomycin is ----- man syndrome
- 17) RBC seen following splenectomy
- 18) The national immunization schedule
- 20) Time between embryonic phase and birth
- 22) Aquagenic urticaria should be differentiated from ----- urticaria
- 23) An inherited condition associated with pseudo Bartter syndrome (abbrv)

¹Senior Professor in Paediatrics, Faculty of Medicine, University of Colombo